

# *Chapter 2 Lexical Analysis*

Nai-Wei Lin



## 共勉

子曰：「學而時習之，不亦說乎？」


# Lexical Analysis

- Lexical analysis recognizes the **vocabulary** of the programming language and transforms a string of **characters** into a string of **words** or **tokens**
- Lexical analysis discards **white spaces** and **comments** between the tokens
- **Lexer** is the program that performs lexical analysis

# Outline

- Lexers
- Tokens
- Regular expressions
- Finite automata
- Automatic conversion from regular expressions to finite automata
- A lexer generator — ANTLR

# Lexers



# Tokens


- A **token** is a sequence of characters that can be treated as a **unit** in the **grammar** of a programming language
- A programming language classifies tokens into a finite set of **token types**

Type	Examples
ID	foo i n
NUM	73 13
IF	if
COMMA	,

# Semantic Values of Tokens

- **Semantic values** are used to distinguish different tokens in a token type
  - $\langle \text{ID}, \text{foo} \rangle$ ,  $\langle \text{ID}, i \rangle$ ,  $\langle \text{ID}, n \rangle$
  - $\langle \text{NUM}, 73 \rangle$ ,  $\langle \text{NUM}, 13 \rangle$
  - $\langle \text{IF}, \rangle$
  - $\langle \text{COMMA}, \rangle$
- **Token types** affect **syntax analysis** and **semantic values** affect **semantic analysis**

# Lexer Generators





# Languages

- A **language** is a set of **strings**
- A **string** is a finite sequence of **symbols** taken from a finite **alphabet**
  - The **C language** is the (infinite) set of all strings that constitute legal C programs
  - The **language of C reserved words** is the (finite) set of all alphabetic strings that cannot be used as identifiers in the C programs
  - Each **token type** is a **language**

# Regular Expressions (RE)

- A language allows us to use a finite description to specify a (possibly infinite) set
- RE is the metalanguage used to define the token types of a programming language

# Regular Expressions

- $\varepsilon$  is a RE denoting  $L = \{\varepsilon\}$
- If  $a \in$  alphabet, then  $a$  is a RE denoting  $L = \{a\}$
- Suppose  $r$  and  $s$  are RE denoting  $L(r)$  and  $L(s)$ 
  - **alternation**:  $(r) \mid (s)$  is a RE denoting  $L(r) \cup L(s)$
  - **concatenation**:  $(r) \cdot (s)$  is a RE denoting  $L(r)L(s)$
  - **repetition**:  $(r)^*$  is a RE denoting  $(L(r))^*$
  - $(r)$  is a RE denoting  $L(r)$

# Examples

- $a \mid b$                      $\{a, b\}$
- $(a \mid b)(a \mid b)$          $\{aa, ab, ba, bb\}$
- $a^*$                          $\{\varepsilon, a, aa, aaa, \dots\}$
- $(a \mid b)^*$         the set of all strings of  $a$ 's and  $b$ 's
- $a \mid a^*b$         the set containing the string  $a$  and  
all strings consisting of zero or more  
 $a$ 's followed by a  $b$

# Regular Definitions

- **Names** for regular expressions

$$d_1 \rightarrow r_1$$
$$d_2 \rightarrow r_2$$

...

$$d_n \rightarrow r_n$$

where  $r_i$  over alphabet  $\cup \{d_1, d_2, \dots, d_{i-1}\}$

- **Examples:**

$$\text{letter} \rightarrow A \mid B \mid \dots \mid Z \mid a \mid b \mid \dots \mid z$$
$$\text{digit} \rightarrow 0 \mid 1 \mid \dots \mid 9$$
$$\text{identifier} \rightarrow \text{letter} ( \text{letter} \mid \text{digit} )^*$$

# Notational Abbreviations

- One or more instances

$(r)^+$  denoting  $(L(r))^+$

$$r^* = r^+ \mid \varepsilon \quad r^+ = r r^*$$

- Zero or one instance

$$r? = r \mid \varepsilon$$

- Character classes

$$[abc] = a \mid b \mid c \quad [a-z] = a \mid b \mid \dots \mid z$$

$$[^abc] = \text{any character except } a \mid b \mid c$$

- Any character except newline

.

# Examples

- `if` {return IF;}
- `[a-z][a-z0-9]*` {return ID;}
- `[0-9]+` {return NUM;}
- `([0-9]+“.”[0-9]*)|([0-9]*“.”[0-9]+)` {return REAL;}
- `(“--”[a-z]*“\n”)| (“ ” | “\n” | “\t”)+`  
{/\*do nothing for white spaces and comments\*/}
- `.` { error(); }

# Completeness of REs

- A **lexical specification** should be **complete**; namely, it always matches some initial substring of the input

...

.

`/* match any */`



# Disambiguity of REs (1)

- **Longest match disambiguation rules:** the longest initial substring of the input that can match any regular expression is taken as the next token

`([0-9]+“.”[0-9]*)|([0-9]*“.”[0-9]+)    /* REAL */`

0.9

## Disambiguity of REs (2)

- **Rule priority disambiguation rules:** for a particular longest initial substring, the first regular expression that can match determines its token type

if	/* IF */
[a-z][a-z0-9]*	/* ID */

if

# Finite Automata


- A finite automaton is a finite-state transition diagram that can be used to model the recognition of a token type specified by a regular expression
- A finite automaton can be a nondeterministic finite automaton or a deterministic finite automaton

# Nondeterministic Finite Automata (NFA)

- An **NFA** consists of
  - A finite set of **states**
  - A finite set of **input symbols**
  - A **transition function** that maps (state, symbol) pairs to **sets of states**
  - A state distinguished as **start state**
  - A set of states distinguished as **final states**

# An Example

- **RE:**  $(a \mid b)^*abb$
- **States:**  $\{1, 2, 3, 4\}$
- **Input symbols:**  $\{a, b\}$
- **Transition function:**  
 $(1, a) = \{1, 2\}$ ,     $(1, b) = \{1\}$   
 $(2, b) = \{3\}$ ,     $(3, b) = \{4\}$
- **Start state:** 1
- **Final state:**  $\{4\}$




# Acceptance of NFA

- An NFA **accepts** an input string **s** iff there is **some** path in the finite-state transition diagram from the **start state** to some **final state** such that the **edge labels** along this path spell out **s**
- The **language** recognized by an NFA is **the set of strings** it accepts

# An Example

$(a \mid b)^* abb$

aabb




$\{1\} \xrightarrow{a} \{1,2\} \xrightarrow{a} \{1,2\} \xrightarrow{b} \{1,3\} \xrightarrow{b} \{1,4\}$

# An Example

$(a \mid b)^* abb$

aaba




$\{1\} \xrightarrow{a} \{1,2\} \xrightarrow{a} \{1,2\} \xrightarrow{b} \{1,3\} \xrightarrow{a} \{1,2\}$



# Another Example

- **RE:**  $aa^* | bb^*$
- **States:**  $\{1, 2, 3, 4, 5\}$
- **Input symbols:**  $\{a, b\}$
- **Transition function:**  
 $(1, \varepsilon) = \{2, 4\}$ ,  $(2, a) = \{3\}$ ,  $(3, a) = \{3\}$ ,  
 $(4, b) = \{5\}$ ,  $(5, b) = \{5\}$
- **Start state:** 1
- **Final states:**  $\{3, 5\}$

# Finite-State Transition Diagram




aaa

$\{1\} \xrightarrow{\epsilon} \{1,2,4\} \xrightarrow{a} \{3\} \xrightarrow{a} \{3\} \xrightarrow{a} \{3\}$

# Operations on NFA states

- $\varepsilon$ -closure( $s$ ): set of states reachable from a state  $s$  on  $\varepsilon$ -transitions alone
- $\varepsilon$ -closure( $S$ ): set of states reachable from some state  $s$  in  $S$  on  $\varepsilon$ -transitions alone
- $move(s, c)$ : set of states to which there is a transition on input symbol  $c$  from a state  $s$
- $move(S, c)$ : set of states to which there is a transition on input symbol  $c$  from some state  $s$  in  $S$

# An Example



- $S_0 = \{1\}$
- $S_1 = \epsilon\text{-closure}(\{1\}) = \{1, 2, 4\}$
- $S_2 = \text{move}(\{1, 2, 4\}, a) = \{3\}$
- $S_3 = \epsilon\text{-closure}(\{3\}) = \{3\}$
- $S_4 = \text{move}(\{3\}, a) = \{3\}$
- $S_5 = \epsilon\text{-closure}(\{3\}) = \{3\}$
- $S_6 = \text{move}(\{3\}, a) = \{3\}$
- $S_7 = \epsilon\text{-closure}(\{3\}) = \{3\}$
- 3 is in  $\{3, 5\} \Rightarrow$  accept

$$\{1\} \xrightarrow{\epsilon} \{1, 2, 4\} \xrightarrow{a} \{3\} \xrightarrow{\epsilon} \{3\} \xrightarrow{a} \{3\} \xrightarrow{\epsilon} \{3\} \xrightarrow{a} \{3\} \xrightarrow{\epsilon} \{3\}$$

# Simulating an NFA

**Input:** An input string ended with **eof** and an NFA with start state  $s_0$  and final states  $F$ .

**Output:** The answer “yes” if accepts, “no” otherwise.

**begin**

$S := \varepsilon\text{-closure}(\{s_0\});$   $c := \text{nextchar},$

**while**  $c \neq \text{eof}$  **do begin**


$S := \varepsilon\text{-closure}(\text{move}(S, c));$   $c := \text{nextchar}$

**end;**

**if**  $S \cap F \neq \emptyset$  **then return** “yes” **else return** “no”

**end.**

# Computation of $\epsilon$ -closure



# Computation of $\varepsilon$ -closure

**Input:** An NFA and a set of NFA states  $S$ .

**Output:**  $T = \varepsilon\text{-closure}(S)$ .

**begin**

push all states in  $S$  onto *stack*;  $T := S$ ;

**while** *stack* is not empty **do begin**

pop  $t$ , the top element, off of *stack*;

**for** each state  $u$  with an edge from  $t$  to  $u$  labeled  $\varepsilon$  **do**

**if**  $u$  is not in  $T$  **then begin**

add  $u$  to  $T$ ; push  $u$  onto *stack*

**end**

**end;**

**return**  $T$

**end.**

# Deterministic Finite Automata (DFA)

- A DFA is a **special case** of an NFA in which
- **no** state has an  **$\epsilon$ -transition**
- for each state **s** and input symbol **a**, there is **at most one** edge labeled **a** leaving **s**




# An Example

- **RE:**  $(a \mid b)^*abb$
- **States:**  $\{1, 2, 3, 4\}$
- **Input symbols:**  $\{a, b\}$
- **Transition function:**  
 $(1,a) = 2, (2,a) = 2, (3,a) = 2, (4,a) = 2$   
 $(1,b) = 1, (2,b) = 3, (3,b) = 4, (4,b) = 1$
- **Start state:** 1
- **Final state:**  $\{4\}$

# Finite-State Transition Diagram

$(a \mid b)^* abb$




# Acceptance of DFA

- A DFA **accepts** an input string **s** iff there is **one** path in the finite-state transition diagram from the **start state** to some **final state** such that the **edge labels** along this path spell out **s**
- The **language** recognized by a DFA is **the set of strings** it accepts

# An Example

$(a \mid b)^* abb$

**aabb**




$1 \xrightarrow{a} 2 \xrightarrow{a} 2 \xrightarrow{b} 3 \xrightarrow{b} 4$

# An Example

$(a \mid b)^* abb$


aaba



1  $\xrightarrow{a}$  2  $\xrightarrow{a}$  2  $\xrightarrow{b}$  3  $\xrightarrow{a}$  2

# An Example

$(a \mid b)^* abb$



*bbababb*

$s = 1$

$s = \text{move}(1, b) = 1$

$s = \text{move}(1, b) = 1$

$s = \text{move}(1, a) = 2$

$s = \text{move}(2, b) = 3$

$s = \text{move}(3, a) = 2$

$s = \text{move}(2, b) = 3$

$s = \text{move}(3, b) = 4$

4 is in  $\{4\} \Rightarrow$  accept

# Simulating a DFA

**Input:** An input string ended with **eof** and a DFA with start state  $s_0$  and final states  $F$ .

**Output:** The answer “yes” if accepts, “no” otherwise.

**begin**

$s := s_0;$   $c := nextchar;$

**while**  $c \neq eof$  **do begin**

$s := move(s, c);$   $c := nextchar$


**end;**

**if**  $s$  is in  $F$  **then return** “yes” **else return** “no”


**end.**

# Combined Finite Automata

if




$[a-z][a-z0-9]^*$



$([0-9]^+ \text{“.”} [0-9]^*)$


|

$([0-9]^* \text{“.”} [0-9]^+)$






# Combined Finite Automata




# Combined Finite Automata



# Recognizing the Longest Match


- The automaton must keep track of **the longest match seen so far** and **the position of that match** until a **dead state** is reached
- Use two variables **Last-Final** (the state number of the most recent final state encountered) and **Input-Position-at-Last-Final** to remember the last time the automaton was in a final state

# An Example




S	C	L	P
	1	0	0
i	2	2	1
f	3	3	2
f	4	4	3
a	4	4	4
i	4	4	5
l	4	4	6
+	?		

# Automatic Conversion from RE to FA




# From a RE to an NFA

- Thompson's construction algorithm
  - For  $\epsilon$  , construct




- For  $a$  in alphabet, construct




# From a RE to an NFA

- Suppose  $N(s)$  and  $N(t)$  are NFA for RE  $s$  and  $t$ 
  - for  $s | t$ , construct




- for  $st$ , construct



# From a RE to an NFA


- for  $s^*$ , construct



- for  $(s)$ , use  $N(s)$



# An Example



# From an NFA to a DFA

Subset construction Algorithm.

**Input:** An NFA  $N$ .

**Output:** A DFA  $D$  with states  $Dstates$  and transition table  $Dtran$ .

**begin**

add  $\varepsilon$ -closure( $s_0$ ) as an unmarked state to  $Dstates$ ;

**while** there is an unmarked state  $T$  in  $Dstates$  **do begin**

mark  $T$ ;

**for** each input symbol  $a$  **do begin**

$U := \varepsilon$ -closure(move( $T, a$ ));

**if**  $U$  is not in  $Dstates$  **then**


add  $U$  as an unmarked state to  $Dstates$ ;

$Dtran[T, a] := U$

**end**

**end.**

# An Example



# An Example

$$\varepsilon\text{-closure}(\{1\}) = \{1, 2, 3, 5, 8\} = A$$

$$\varepsilon\text{-closure}(\text{move}(A, a)) = \varepsilon\text{-closure}(\{4, 9\}) = \{2, 3, 4, 5, 7, 8, 9\} = B$$

$$\varepsilon\text{-closure}(\text{move}(A, b)) = \varepsilon\text{-closure}(\{6\}) = \{2, 3, 5, 6, 7, 8\} = C$$

$$\varepsilon\text{-closure}(\text{move}(B, a)) = \varepsilon\text{-closure}(\{4, 9\}) = B$$

$$\varepsilon\text{-closure}(\text{move}(B, b)) = \varepsilon\text{-closure}(\{6, 10\}) = \{2, 3, 5, 6, 7, 8, 10\} = D$$

$$\varepsilon\text{-closure}(\text{move}(C, a)) = \varepsilon\text{-closure}(\{4, 9\}) = B$$

$$\varepsilon\text{-closure}(\text{move}(C, b)) = \varepsilon\text{-closure}(\{6\}) = C$$

$$\varepsilon\text{-closure}(\text{move}(D, a)) = \varepsilon\text{-closure}(\{4, 9\}) = B$$

$$\varepsilon\text{-closure}(\text{move}(D, b)) = \varepsilon\text{-closure}(\{6, 11\}) = \{2, 3, 5, 6, 7, 8, 11\} = E$$


$$\varepsilon\text{-closure}(\text{move}(E, a)) = \varepsilon\text{-closure}(\{4, 9\}) = B$$

$$\varepsilon\text{-closure}(\text{move}(E, b)) = \varepsilon\text{-closure}(\{6\}) = C$$

# An Example

State	Input Symbol	
	<i>a</i>	<i>b</i>
$A = \{1, 2, 3, 5, 8\}$	B	C
$B = \{2, 3, 4, 5, 7, 8, 9\}$	B	D
$C = \{2, 3, 5, 6, 7, 8\}$	B	C
$D = \{2, 3, 5, 6, 7, 8, 10\}$	B	E
$E = \{2, 3, 5, 6, 7, 8, 11\}$	B	C

# An Example



# A Lexer Generator — ANTLR

- ANTLR (ANother Tool for Language Recognition) is a powerful compiler generator for reading, processing, executing, or translating structured text or binary files.
- It's widely used to build languages, tools, and frameworks.

# ANTLR Download

- The latest version of ANTLR is 4.5.2, released January 30, 2016. As of 4.5.2, we have a Java, C#, JavaScript, Python2, Python3 targets.
- ANTLR is really two things: a **tool** that translates your grammar to a parser/lexer in Java and the **runtime** needed by the generated parsers/lexers.
- The file **antlr-4.5.2-complete.jar** contains the tool and the runtime for **Java**.



# ANTLR FreeBSD Installation

- 1. Use PuTTY to login `csie1.cs.ccu.edu.tw`
- 2. Download `antlr-4.5.2-complete.jar`
- `> mkdir 4005`
- `> cd 4005`
- `> fetch http://www.antlr.org/download/antlr-4.5.2-complete.jar`

# ANTLR FreeBSD Installation

- 2. Set environment variable CLASSPATH in .cshrc
- > cd ..
- > vi .cshrc
- setenv CLASSPATH .:\$HOME/4005/antlr-4.5.2-complete.jar:\$CLASSPATH

# ANTLR FreeBSD Installation

- 3. Create command shortcut in `.cshrc`
- `alias antlr4 'java -Xmx500M -cp "$HOME/4005/antlr-4.5.2-complete.jar:$CLASSPATH" org.antlr.v4.Tool'`
- `alias grun 'java org.antlr.v4.gui.TestRig'`

# Grammar Lexicon

- Comments
- Keywords
- Identifiers
- Literals
- Actions

# Comments

```
/** This grammar is an example illustrating
 *  the three kinds of comments.
 */
grammar T;
/* a multi-line
   comment
 */
/** This rule matches a declarator */
decl : ID ; // match a variable name
```

# Keywords

- The reserved words in ANTLR:
- import, fragment, lexer, parser, grammar, returns, locals, throws, catch, finally, mode, options, tokens.
- Also, although it is not a keyword, do not use the word **rule** as a rule name.
- Further, do not use any keyword of the target language as a token, label, or rule name.

# Identifiers

- Token names or lexer rule names always start with a capital letter.
- Parser rule names always start with a lowercase letter.
- The initial character can be followed by uppercase and lowercase letters, digits, and underscores.

# Identifiers

```
/* token names or lexer rule names  
ID, LPAREN, RIGHT_CURLY
```

```
// parser rule names  
expr, simpleDeclarator, d2, header_file
```



# Literals

- ANTLR does not distinguish between character and string literals.
- All literal strings one or more characters in length are enclosed in single quotes such as `';`, `'if'`, `'>='`, and `'\'`.
- ANTLR understands the usual special escape sequences: `'\n'`, `'\r'`, `'\t'`, `'\b'`, and `'\f'`.
- Literals can contain Unicode escape sequences of the form `\uXXXX`, where `XXXX` is the hexadecimal Unicode character value.

# Actions

- Actions are code blocks written in the target language.
- An action is arbitrary text surrounded by curly braces.

# Grammar Structure

```
grammar Name;  
options {...}  
import ... ;  
tokens {...}  
channels {...}  
@actionName {...}  
rules
```

# Grammar Options


- ANTLR options may be set either within the grammar file using the options syntax or when invoking ANTLR on the command line, using the -D option.
- E.g.,  
`options { language = java; }`

# Grammar imports

- Grammar imports let you break up a grammar into logical and reusable chunks.

```
grammar X;  
import Y;  
expr : INT | ID;  
INT : [0-9]+ ;
```

```
grammar Y;  
ID : [a-z]+ ;
```



```
grammar X;  
expr : INT | ID;  
INT : [0-9]+ ;  
ID : [a-z]+ ;
```

# Tokens Section

- The purpose of the tokens section is to define token types needed by a grammar for which there is no associated lexical rule.
- The basic syntax is:  
`tokens { Token1, ..., TokenN }`
- E.g.  
`tokens { BEGIN, END, IF, THEN, WHILE }`

# Lexer Rules

- Lexer rule names must begin with an uppercase letter.

TokenName :

alternative1 | ... | alternativeN ;

- You can also define rules that are not tokens but rather aid in the recognition of tokens.

**fragment** HelperTokenRule :

alternative1 | ... | alternativeN ;

# An Example

```
INT : DIGIT+ ;  
fragment DIGIT : [0-9] ;
```



# Lexer Rule Elements

- **'literal'**: Match that character or sequence of characters. E.g., **'while'** or **'='**.
- **'x'..'y'**: Match any single character between range x and y, inclusively. E.g., **'a'..'z'**.
- **.**: The dot is a single-character wildcard that matches any single character. E.g.,  
**ESC : '\\'** . ;

# Lexer Rule Elements

- **[char set]**: Match one of the characters specified in the character set. Interpret x-y as set of characters between range x and y, inclusively. The following escaped characters are interpreted as single special characters: `\n`, `\r`, `\b`, `\t`, and `\f`. To get `]`, `\`, or `-` you must escape them with `\`. You can also use Unicode character specifications: `\uXXXX`.
- **[a-z]** is identical to `'a'..'z'`.

# Lexer Rule Elements

- **~x**: Match any single character not in the set described by x. Set x can be a single character literal, a range, or a subrule set like `~('x'|'y'|'z')` or `~[xyz]`.

# Lexer Rule Elements

- **T**: Invoke lexer rule T; recursion is allowed in general, but not left recursion. T can be a regular token or fragment rule.
- E.g.,  
ID : LETTER ( LETTER | '0'..'9' )\* ;  
fragment LETTER : [a-zA-Z\_] ;

# Lexer Rule Elements

- **{«action»}**: Lexer actions can appear anywhere in the rule, not just at the end of the outermost alternative.
- The lexer executes the actions at the appropriate input position, according to the placement of the action within the rule.
- The action conforms to the syntax of the target language.
- ANTLR copies the action's contents into the generated code verbatim.

# Lexer Commands

- To avoid tying a grammar to a particular target language, ANTLR supports lexer commands.
- Lexer commands appear at the end of the outermost alternative of a lexer rule definition.
- A lexer command consists of the `->` operator followed by one or more command names that can optionally take parameters:

`TokenName : «alternative» -> command-name`

`TokenName : «alternative» -> command-name  
(«identifier or integer»)`

# Lexer Commands

- A 'skip' command tells the lexer to get another token and throw out the current text.

```
WS : [ \t]+ -> skip ;
```

- A 'channel(x)' command sends the token type to the x channel. HIDDEN channel is not connected to the parser.

```
WS : [ \t]+ -> channel(HIDDEN) ;
```

# Nongreedy Lexer Subrules

- Subrules like  $(...)?$ ,  $(...)^*$  and  $(...)^+$  are greedy—  
They consume as much input as possible.
- Constructs like  $.^*$  consume until the end of the input in the lexer.
- We can make any subrule that has a  $?$ ,  $*$ , or  $+$  suffix nongreedy by adding another  $?$  suffix.
- E.g.,  
`COMMENT : '/' .*? '*/' -> skip ;`



# Parser Rules

- Parser rule names must begin with a lowercase letter.

parserRuleName :

alternative1 | ... | alternativeN ;

# An Example

```
// File Rose.g4
grammar Rose;
token : (BEGIN | ELSE | ... )* ;
BEGIN : 'begin' ;
ELSE : 'else' ;
...
```

# An Example

```
// edit Rose.g4
> antlr4 Rose.g4
// generate Rose.tokens Rose*.java
> javac Rose*.java
// generate Rose*.class
// edit input_file
> grun Rose token -tree < input_file
(token begin else ... )
```